

Germicidal UVC Room Unit

THE STERILASER ROOM UNIT KILLS 99.5% OF ALL HARMFUL BACTERIA, FUNGI AND VIRUSES (INCLUDING COVID-19) IN MINUTES. UNIT PERFECT FOR GYMS, YOGA STUDIOS, LOCKER ROOMS, CLASS ROOMS, HEALTH CARE FACILITIES, LABORATORIES AND MORE.




FASTEST/MOST EFFECTIVE WAY TO COMBAT PATHOGENS!

How Does UV Work?

Germicidal Ultraviolet light is absorbed by the DNA of microorganisms, causing changes in their structure, rendering the microorganisms incapable of replicating. A cell that can't reproduce is considered dead; since it is unable to multiply to infectious numbers within a host.

www.highlandsfightgear.com/sterilaser-room-unit-basic-germicidal-uv-disinfection-system



FEATURES

Remote Activation allows safe early room entrance



Customer Set Timer delivers exact required treatment



Do Not Enter Sign included with every room unit



STERILASER™

Phone: 877-904-7111

Email: info@highlandsfightgear.com



DETERMINING TREATMENT TIME FOR ROOM SIZES

The STERILASER™ Room Unit is intended for use in UNOCCUPIED AREAS ONLY. Under no circumstances should this unit be permitted to operate with humans, plants or animals present in the Operation Area. Consult our UV Application Specialists if you have any questions or need help with the STERILASER™ Room Unit.

- 1) The STERILASER™ Room Unit should be located in the approximate center of the room and target surfaces must be directly exposed to the ultraviolet rays. It is important to remove items from direct line of sight that would block or shield UV rays from striking target surfaces. Depending on the configuration of the space, and what specific disinfection you are looking to achieve, it may be advisable to operate the STERILASER™ Room Unit on each side of large fixed objects (like a bed, or table, etc.).
- 2) Measure the longest distance from the STERILASER™ Room Unit to the farthest object to be disinfected. Use this length to compare to the distance from Fixtures / Time shown on Figure 1 below. If a greater dose is required, increase treatment time.

NOTE THESE ARE SECONDS..... NOT MINUTES.

Figure 1 – Treatment Time and UV Dosage Based on Distance from Fixture – STERILASER™

Distant to target STERILASER™ Output (mj/cm2)		5'	10'	15'	20'
		250	130	55	40
Bacteria	mj/cm2 to Deactivate	Minutes to Deactivate			
Agrobacterium lumefaciens	8,500	0.57	1.09	2.58	3.54
Bacillus anthracis (anthrax veg.)	8,700	0.58	1.12	2.64	3.63
Bacillus anthracis Spores (anthrax spores)	46,200	3.08	5.92	14.00	19.25
Bacillus megatherium Sp. (spores)	5,200	0.35	0.67	1.58	2.17
Bacillus megatherium Sp. (veg)	2,500	0.17	0.32	0.76	1.04
Bacillus paratyphosus	6,100	0.41	0.78	1.85	2.54
Bacillus subtilis	11,000	0.73	1.41	3.33	4.58
Bacillus subtilis Spores	22,000	1.47	2.82	6.67	9.17
Clostridium botulinum	11,200	0.75	1.44	3.39	4.67
Clostridium tetani	23,100	1.54	2.96	7.00	9.63
Corynebacterium diphtheriae	6,500	0.43	0.83	1.97	2.71
Dysentery bacilli	4,200	0.28	0.54	1.27	1.75
Eberthella typhosa	4,100	0.27	0.53	1.24	1.71
Escherichia coli	6,600	0.44	0.85	2.00	2.75
Legionella bozemanii	3,500	0.23	0.45	1.06	1.46
Legionella dumoffii II	5,500	0.37	0.71	1.67	2.29
Legionella gormanii	4,900	0.33	0.63	1.48	2.04
Legionella longbeachae	2,900	0.19	0.37	0.88	1.21
Legionella micdadei	3,100	0.21	0.40	0.94	1.29
Legionella pneumophila (Legionnaire's Disease)	12,300	0.82	1.58	3.73	5.13
Leptospira canicola-Infectious Jaundice	6,000	0.40	0.77	1.82	2.50
Leptospira interrogans	6,000	0.40	0.77	1.82	2.50
Micrococcus candidus	12,300	0.82	1.58	3.73	5.13
Micrococcus sphaeroides	15,400	1.03	1.97	4.67	6.42
Mycobacterium tuberculosis	10,000	0.67	1.28	3.03	4.17
Neisseria catarrhalis	8,500	0.57	1.09	2.58	3.54
Phytomonas tumefaciens	8,500	0.57	1.09	2.58	3.54
Proteus vulgaris	6,600	0.44	0.85	2.00	2.75
Pseudomonas aeruginosa (Environ. Strain)	10,500	0.70	1.35	3.18	4.38
Pseudomonas aeruginosa (Lab. Strain)	3,900	0.26	0.50	1.18	1.63
Pseudomonas fluorescens	6,600	0.44	0.85	2.00	2.75
Streptococcus faecalis	10,000	0.67	1.28	3.03	4.17
Streptococcus hemolyticus	5,500	0.37	0.71	1.67	2.29
Streptococcus lactis	8,800	0.59	1.13	2.67	3.67
Streptococcus pyrogenes	4,200	0.28	0.54	1.27	1.75
Streptococcus salivarius	4,200	0.28	0.54	1.27	1.75
Streptococcus viridans	3,800	0.25	0.49	1.15	1.58
Vibrio cholerae	6,500	0.43	0.83	1.97	2.71
Vibrio comma (Cholera)	6,500	0.43	0.83	1.97	2.71

Distant to target STERILASER™ Output (mj/cm2)		5'	10'	15'	20'
		250	130	55	40
Molds	mj/cm2 to Deactivate	Minutes to Deactivate			
Aspergillus amstelodami	77,000	5.13	9.87	23.33	32.08
Aspergillus flavus	99,000	6.60	12.69	30.00	41.25
Aspergillus glaucus	88,000	5.87	11.28	26.67	36.67
Aspergillus niger (black mold)	330,000	22.00	42.31	100.00	137.50
Mucor mucedo	77,000	5.13	9.87	23.33	32.08
Mucor racemosus (A & B)	35,200	2.35	4.51	10.67	14.67
Oospora lactis	11,000	0.73	1.41	3.33	4.58
Penicillium chrysogenum	56,000	3.73	7.18	16.97	23.33
Penicillium digitatum	88,000	5.87	11.28	26.67	36.67
Penicillium expansum	22,000	1.47	2.82	6.67	9.17
Penicillium roqueforti	26,400	1.76	3.38	8.00	11.00
Rhizopus nigricans (cheese mold)	220,000	14.67	28.21	66.67	91.67

Distant to target STERILASER™ Output (mj/cm2)		5'	10'	15'	20'
		250	130	55	40
Virus	mj/cm2 to Deactivate	Minutes to Deactivate			
Adeno Virus Type III	4,500	0.30	0.58	1.36	1.88
Bacteriophage	6,600	0.44	0.85	2.00	2.75
COVID-19	6,160	0.41	0.79	1.87	2.57
Coxsackie	6,300	0.42	0.81	1.91	2.63
Infectious Hepatitis	8,000	0.53	1.03	2.42	3.33
Influenza	6,600	0.44	0.85	2.00	2.75
Rhodospirillum rubrum	6,200	0.41	0.79	1.88	2.58
Rotavirus	24,000	1.60	3.08	7.27	10.00
Salmonella	10,500	0.70	1.35	3.18	4.38
Salmonella enteritidis	7,600	0.51	0.97	2.30	3.17
Salmonella paratyphi (Enteric Fever)	6,100	0.41	0.78	1.85	2.54
Salmonella Species	15,200	1.01	1.95	4.61	6.33
Salmonella typhi (Typhoid Fever)	7,000	0.47	0.90	2.12	2.92
Salmonella typhimurium	15,200	1.01	1.95	4.61	6.33
Sarcina lutea	26,400	1.76	3.38	8.00	11.00
Serratia marcescens	6,160	0.41	0.79	1.87	2.57
Shigella dysenteriae - Dysentery	4,200	0.28	0.54	1.27	1.75
Shigella flexneri - Dysentery	3,400	0.23	0.44	1.03	1.42
Shigella paradysenteriae	3,400	0.23	0.44	1.03	1.42
Shigella sonnei	7,000	0.47	0.90	2.12	2.92
Spirillum rubrum	6,160	0.41	0.79	1.87	2.57
Staphylococcus albus	5,720	0.38	0.73	1.73	2.38
Staphylococcus aureus (MRSA)	6,600	0.44	0.85	2.00	2.75
Staphylococcus epidermidis	5,800	0.39	0.74	1.76	2.42

